

**Safety Data Sheet**  
according to WHS Regulations

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

**1 Identification**

- **Product identifier**
- **Trade name: K-Humate Liquid 26%**
- **Article number: DK010**
- **CAS Number:**  
68514-28-3
- **EC number:**  
271-030-1
- **Relevant identified uses of the substance or mixture and uses advised against**  
For use in the agricultural sector.
- **Technical function** Fertilizers (soil amendments)
- **Application of the substance / the mixture** Liquid Fertilizer
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Company: Omnia Specialities Australia Pty Ltd  
Address: Tramway Road  
MORWELL VIC 3840  
Telephone Number: +61-3 5133 9118  
Facsimile Number: +61-3 5133 9114
- **Further information obtainable from:** [info@omnia.net.au](mailto:info@omnia.net.au)
- **Emergency telephone number:**  
ISS First Response  
03 8769 3688

**2 Hazard(s) Identification**

- **Classification of the substance or mixture**



Acute Tox. 4 H302 Harmful if swallowed.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**  
The substance is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements**  
P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

**Trade name: K-Humate Liquid 26%**

(Contd. of page 1)

- P301+P312 *IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.*
- P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P321 *Specific treatment (see on this label).*
- P332+P313 *If skin irritation occurs: Get medical advice/attention.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Substances**
- **CAS No. Description**  
68514-28-3 K-Humate Liquid 26%
- **Identification number(s)**
- **EC number: 271-030-1**

### 4 First Aid Measures

- **Description of first aid measures**
- **General information:**  
*Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*
- **After inhalation:**  
*Remove to fresh air. In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:**  
*Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing. Flush affected areas with plenty of water and soap.*
- **After eye contact:**  
*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*
- **After swallowing:**  
*Call for a doctor immediately. Do not induce vomiting. Rinse mouth with water (only if person is conscious).*
- **Information for doctor:**  
*Treat supportive and symptomatically*  
*Contains potassium hydroxide.*
- **Most important symptoms and effects, both acute and delayed**  
*Product alkaline and may burn gastro intestinal tract, eyes and skin.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
*Use fire extinguishing methods suitable to surrounding conditions. Water spray jet, foam. Dry fire-extinguishing substance.*
- **Special hazards arising from the substance or mixture**  
*If liquid boils dry, salts in fire will produce harmful gasses.*  
*Carbon oxides (COx)*  
*Metal oxide fumes*
- **Advice for firefighters** *Material not combustible*

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

**Trade name: K-Humate Liquid 26%**

(Contd. of page 2)

- **Protective equipment:** Use breathing apparatus with independent air supply (Isolated)

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Prevent from spreading (e.g. by damming-in or oil barriers).  
Do not allow to enter sewers/ surface or ground water. Should not be released into the environment.
- **Methods and material for containment and cleaning up:**  
Uncontaminated spilled material may be reused  
Collect the product mechanically (vacuum or pump). Deposit in recipient for recuperation.  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling** Dust mask and gloves recommended during handling of product.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe the rules usually applicable when handling chemicals.
- **Information about storage in one common storage facility:**  
Do not store together with oxidising and acidic materials.
- **Further information about storage conditions:**  
Keep container tightly sealed in a dry well-ventilated place.  
Protect from heat and direct sunlight.  
Store and transport in sealed containers below 40°C and above -10°C.
- **Specific end use(s)** Agricultural

### 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:**  
Ensure eyewash stations and safety showers are close to the workstation location.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

## Safety Data Sheet according to WHS Regulations

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

Trade name: **K-Humate Liquid 26%**

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Dark brown
<b>Odour:</b>	Earthy
<b>Odour threshold:</b>	Not determined.

· **pH-value:** 11.4

· **Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:**

**Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Not determined.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

· **Vapour pressure:** Not determined.

· **Density:** Not determined.

<b>Relative density at 20 °C</b>	1.2 g/cm <sup>3</sup>
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

Trade name: K-Humate Liquid 26%

(Contd. of page 4)

- |  |  |
|--|--|
| <b>· Solubility in / Miscibility with water:</b> | Fully miscible.                            |
| <b>· Partition coefficient: n-octanol/water:</b> | Not determined.                            |
| <b>· Viscosity:</b>                              |  |
| <b>Dynamic:</b>                                  | Not determined.                            |
| <b>Kinematic:</b>                                | Not determined.                            |
| <b>· Other information</b>                       | No further relevant information available. |

### 10 Stability and Reactivity

- **Reactivity** Stable under normal conditions
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with acids.  
Reacts with oxidising agents.
- **Conditions to avoid** Incompatibles and extreme temperatures
- **Incompatible materials:**  
Strong oxidizing agents  
Acids
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Metal oxide fumes

### 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

**· LD/LC50 values relevant for classification:**

Oral	LD50	1,786 mg/kg (rat)
This is an estimated value, based on less than 2% KOH in solution		

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.

### 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 6)

## Safety Data Sheet according to WHS Regulations

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

**Trade name: K-Humate Liquid 26%**

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Disposal according to local regulations.  
Contain material in dyke and pump into container for reuse. If contaminated, absorb on absorption material, put material into bins for disposal.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |   |                 |
|---|-----------------|
| · <b>UN-Number</b>  | Void            |
| · <b>ADG, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>  | Void            |
| · <b>ADG, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>   | Void            |
| · <b>ADG, ADN, IMDG, IATA</b>   | Void            |
| · <b>Class</b>  | Void            |
| · <b>Packing group</b>  | Void            |
| · <b>ADG, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>   | Not applicable. |
| · <b>Special precautions for user</b>                                       | Not applicable. |
| · <b>Stowage Category</b>   | B               |
| · <b>ERG No.</b>  | None<br>154     |
| · <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Void            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Australian Inventory of Chemical Substances** Substance is not listed.
- **Standard for the Uniform Scheduling of Medicines and Poisons** Substance is not listed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

**Safety Data Sheet**  
**according to WHS Regulations**

Printing date 10.08.2018

Version number 1

Revision: 10.08.2018

**Trade name: K-Humate Liquid 26%**

(Contd. of page 6)

*IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Acute Tox. 4: Acute toxicity – Category 4**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*

-AU-